

**A RESOLUTION AUTHORIZING A CREDIT TO  
TOWNSHIP CUSTOMERS  
FOR THEIR WATER-SEWER UTILITY ACCOUNT**

**WHEREAS**, pursuant to Chapter 352-12 of the Township Code – all claims for a deduction from sewer/water bills shall be made in writing to the Mayor and Council of the Township of North Brunswick which has full power to determine such claims; and

**WHEREAS**, the following Township customers have requested a credit for the circumstance provided:

| Account | Explanation              | Amount     | Credit/Refund |
|---------|--------------------------|------------|---------------|
| 568-0   | One-time leak adjustment | \$1,272.78 | Credit        |
| 20520-0 | One-time leak adjustment | \$111.16   | Credit        |
| 6009-0  | One-time leak adjustment | \$26.80    | Credit        |
| 6436-0  | One-time leak adjustment | \$177.01   | Credit        |

**NOW THEREFORE, BE IT RESOLVED**, on this 22<sup>nd</sup> day of February, 2022, the Township Council of the Township of North Brunswick does hereby authorize a refund for the account listed herein above.

\_\_\_\_\_  
Justine Progebin  
Business Administrator

\_\_\_\_\_  
Ronald Gordon, Esq.  
Township Attorney  
Approved as to legal form

**RECORDED VOTE:**

| COUNCIL MEMBER | YES | NO | ABSTAIN | NOTES |
|----------------|-----|----|---------|-------|
| MEHTA          |     |    |         |       |
| LOPEZ          |     |    |         |       |
| GUADAGNINO     |     |    |         |       |
| ANDREWS        |     |    |         |       |
| SOCIO          |     |    |         |       |
| DAVIS          |     |    |         |       |
| MAYOR WOMACK   |     |    |         |       |

I hereby certify that the above Resolution was duly adopted by the Township Council of the Township of North Brunswick, County of Middlesex, at its meeting held on February 22, 2022.

\_\_\_\_\_  
Lisa Russo  
Township Clerk

## Request for 1- Time Leak Adjustment

Owner Name: KAMINSKY, JERROLD & LOIS  
Account Number: 568-0  
Address: 687 HERMANN ROAD

There was an issue with a toilet running while a tenant was living there. The issue was repaired after the tenant left and the owner would like to request a 1-time leak adjustment.

Credit Amount Requested: \$1,272.78

# MONTHLY CONSUMPTION ANALYSIS

February 1, 2021 - February 5, 2022

KAMINSKY, JERROLD & LOIS


Account Number: 568 0

Address: 687 HERMANN ROAD

MIU ID: 1565335652

Meter ID: 39496851

Unit of Measure: Gallons



# DAILY CONSUMPTION ANALYSIS

June 1, 2021 - June 30, 2021

KAMINSKY, JERROLD & LOIS

Account Number: 568 0  
 Address: 687 HERMANN ROAD  
 MIU ID: 1565335652  
 Meter ID: 39496851  
 Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 6/30/2021 | 102.8       | 00775223 |
| 6/29/2021 | 137.7       | 00774195 |
| 6/28/2021 | 90.4        | 00772818 |
| 6/27/2021 | 77.2        | 00771914 |
| 6/26/2021 | 58.8        | 00771142 |
| 6/25/2021 | 23.9        | 00770554 |
| 6/24/2021 | 77.3        | 00770315 |
| 6/23/2021 | 6.9         | 00769542 |
| 6/22/2021 | 48.6        | 00769473 |
| 6/21/2021 | 33.7        | 00768987 |
| 6/20/2021 | 55.6        | 00768650 |
| 6/19/2021 | 110.3       | 00768094 |
| 6/18/2021 | 94.9        | 00766991 |
| 6/17/2021 | 106.3       | 00766042 |
| 6/16/2021 | 94.4        | 00764979 |
| 6/15/2021 | 69.8        | 00764035 |
| 6/14/2021 | 104.8       | 00763337 |
| 6/13/2021 | 180.6       | 00762289 |
| 6/12/2021 | 82.5        | 00760483 |
| 6/11/2021 | 55.2        | 00759658 |
| 6/10/2021 | 62.3        | 00759106 |
| 6/9/2021  | 157.1       | 00758483 |
| 6/8/2021  | 138.2       | 00756912 |
| 6/7/2021  | 113         | 00755530 |
| 6/6/2021  | 148.4       | 00754400 |
| 6/5/2021  | 166         | 00752916 |
| 6/4/2021  | 44.7        | 00751256 |
| 6/3/2021  | 77.6        | 00750809 |
| 6/2/2021  | 152.6       | 00750033 |
| 6/1/2021  | 34.60       | 00748507 |

|                            |                |                      |
|----------------------------|----------------|----------------------|
| Normal GPD                 | 90.21          |                      |
|                            | <b>Gallons</b> | <b>Credit Amount</b> |
| PD8 Leak Amount            | 40701.79       | \$ 403.72            |
| PD9 Leak Amount            | 64595.30       | \$ 640.72            |
| PD10 Leak Amount           | 22542.99       | \$ 228.34            |
| <b>Total Credit Amount</b> |                | <b>\$ 1,272.78</b>   |

*PD8 2021 Credit Amount*

| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed         |
|----------------------------|--------------------------------|-------------------------------|----------------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |                      |
| 40,702 Consumption         | - Consumption                  | - Consumption                 | 40,702               |
| 40,702 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.003915</u> Tier 1     | <u>0.007046</u> Tier 2         | <u>0.007829</u> Tier 3        |                      |
| 159.35 <b>Water</b>        | - <b>Water</b>                 | - <b>Water</b>                | 159.35 <b>Water</b>  |
| 40,702 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.006004</u> Rate       | <u>0.007462</u> Tier 2         | <u>0.008577</u> Tier 3        |                      |
| 244.37 <b>Sewer</b>        | - <b>Sewer</b>                 | - <b>Sewer</b>                | 244.37 <b>Sewer</b>  |
| Service Fee                |                                |                               | - <b>Service Fee</b> |
| 403.72 <b>Tier 1</b>       | - <b>Tier 2</b>                | - <b>Tier 3</b>               | 403.72 <b>Total</b>  |

*PD9 2021 Credit Amount*

| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed         |
|----------------------------|--------------------------------|-------------------------------|----------------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |                      |
| 64,595 Consumption         | - Consumption                  | - Consumption                 | 64,595               |
| 64,595 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.003915</u> Tier 1     | <u>0.007046</u> Tier 2         | <u>0.007829</u> Tier 3        |                      |
| 252.89 <b>Water</b>        | - <b>Water</b>                 | - <b>Water</b>                | 252.89 <b>Water</b>  |
| 64,595 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.006004</u> Rate       | <u>0.007462</u> Tier 2         | <u>0.008577</u> Tier 3        |                      |
| 387.83 <b>Sewer</b>        | - <b>Sewer</b>                 | - <b>Sewer</b>                | 387.83 <b>Sewer</b>  |
| Service Fee                |                                |                               | - <b>Service Fee</b> |
| 640.72 <b>Tier 1</b>       | - <b>Tier 2</b>                | - <b>Tier 3</b>               | 640.72 <b>Total</b>  |

*PD10 2021 Credit Amount*

| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed         |
|----------------------------|--------------------------------|-------------------------------|----------------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |                      |
| 22,543 Consumption         | - Consumption                  | - Consumption                 | 22,543               |
| 22,543 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.003915</u> Tier 1     | <u>0.007046</u> Tier 2         | <u>0.007829</u> Tier 3        |                      |
| 88.26 <b>Water</b>         | - <b>Water</b>                 | - <b>Water</b>                | 88.26 <b>Water</b>   |
| 22,543 Usage               | - Usage                        | - Usage                       |                      |
| <u>0.006214</u> Rate       | <u>0.007723</u> Tier 2         | <u>0.008877</u> Tier 3        |                      |
| 140.08 <b>Sewer</b>        | - <b>Sewer</b>                 | - <b>Sewer</b>                | 140.08 <b>Sewer</b>  |
| Service Fee                |                                |                               | - <b>Service Fee</b> |
| 228.34 <b>Tier 1</b>       | - <b>Tier 2</b>                | - <b>Tier 3</b>               | 228.34 <b>Total</b>  |

# DAILY CONSUMPTION ANALYSIS

August 1, 2021 - August 31, 2021

KAMINSKY, JERROLD & LOIS

Account Number: 568 0  
 Address: 687 HERMANN ROAD  
 MIU ID: 1565335652  
 Meter ID: 39496851  
 Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 8/31/2021 | 235.7       | 01447179 |
| 8/30/2021 | 64.3        | 01444822 |
| 8/29/2021 | 73          | 01444179 |
| 8/28/2021 | 1,428.90    | 01443449 |
| 8/27/2021 | 2,634.00    | 01429160 |
| 8/26/2021 | 2,664.30    | 01402820 |
| 8/25/2021 | 2,676.60    | 01376177 |
| 8/24/2021 | 2,656.30    | 01349411 |
| 8/23/2021 | 2,692.90    | 01322848 |
| 8/22/2021 | 2,709.20    | 01295919 |
| 8/21/2021 | 2,757.60    | 01268827 |
| 8/20/2021 | 2,746.40    | 01241251 |
| 8/19/2021 | 2,749.90    | 01213787 |
| 8/18/2021 | 2,727.80    | 01186288 |
| 8/17/2021 | 2,730.00    | 01159010 |
| 8/16/2021 | 2,715.80    | 01131710 |
| 8/15/2021 | 2,733.40    | 01104552 |
| 8/14/2021 | 2,748.50    | 01077218 |
| 8/13/2021 | 2,756.20    | 01049733 |
| 8/12/2021 | 50.3        | 01022171 |
| 8/11/2021 | 34.7        | 01021668 |
| 8/10/2021 | 125.8       | 01021321 |
| 8/9/2021  | 39          | 01020063 |
| 8/8/2021  | 125.4       | 01019673 |
| 8/7/2021  | 19.8        | 01018419 |
| 8/6/2021  | 96.2        | 01018221 |
| 8/5/2021  | 84.2        | 01017259 |
| 8/4/2021  | 32.6        | 01016417 |
| 8/3/2021  | 45.4        | 01016091 |
| 8/2/2021  | 68.6        | 01015637 |
| 8/1/2021  | 275.4       | 01014951 |

|                 |             |
|-----------------|-------------|
| Total Gallons   | 43498.2     |
| Days            | 31          |
| GPD During Leak | 1403.167742 |
| Normal GPD      | 90.20666667 |
| Leak GPD        | 1312.961075 |
| Days            | 31          |
| Toatl Leak      | 40701.79333 |

## DAILY CONSUMPTION ANALYSIS

September 1, 2021 - September 30, 2021

KAMINSKY, JERROLD &amp; LOIS

Account Number: 568 0  
 Address: 687 HERMANN ROAD  
 MIU ID: 1565335652  
 Meter ID: 39496851  
 Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 9/30/2021 | 2,554.70    | 02120194 |
| 9/29/2021 | 2,573.90    | 02094647 |
| 9/28/2021 | 2,588.50    | 02068908 |
| 9/27/2021 | 2,583.80    | 02043023 |
| 9/26/2021 | 2,612.60    | 02017185 |
| 9/25/2021 | 2,569.60    | 01991059 |
| 9/24/2021 | 2,599.30    | 01965363 |
| 9/23/2021 | 2,606.80    | 01939370 |
| 9/22/2021 | 2,578.10    | 01913302 |
| 9/21/2021 | 2,577.90    | 01887521 |
| 9/20/2021 | 2,601.40    | 01861742 |
| 9/19/2021 | 2,630.80    | 01835728 |
| 9/18/2021 | 2,648.00    | 01809420 |
| 9/17/2021 | 2,628.70    | 01782940 |
| 9/16/2021 | 2,637.90    | 01756653 |
| 9/15/2021 | 2,648.60    | 01730274 |
| 9/14/2021 | 2,654.40    | 01703788 |
| 9/13/2021 | 2,681.90    | 01677244 |
| 9/12/2021 | 1,656.20    | 01650425 |
| 9/11/2021 | 53.9        | 01633863 |
| 9/10/2021 | 1,770.40    | 01633324 |
| 9/9/2021  | 1,365.90    | 01615620 |
| 9/8/2021  | 49.6        | 01601961 |
| 9/7/2021  | 1,381.50    | 01601465 |
| 9/6/2021  | 2,623.40    | 01587650 |
| 9/5/2021  | 2,632.50    | 01561416 |
| 9/4/2021  | 1,672.50    | 01535091 |
| 9/3/2021  | 2,412.90    | 01518366 |
| 9/2/2021  | 2,582.90    | 01494237 |
| 9/1/2021  | 2,122.90    | 01468408 |

|                 |             |
|-----------------|-------------|
| Toatl Gallons   | 67,301.50   |
| Days            | 30.00       |
| GPD During Leak | 2243.383333 |
| Normal GPD      | 90.20666667 |
| Leak GPD        | 2153.176667 |
| Days            | 30          |
| Toatl Leak      | 64595.3     |

DAILY CONSUMPTION ANALYSIS  
October 1, 2021 - October 31, 2021

KAMINSKY, JERROLD & LOIS

Account Number: 568 0  
Address: 687 HERMANN ROAD  
MIU ID: 1565335652  
Meter ID: 39496851  
Unit of Measure: Gallons

| datetime   | consumption | reading  |
|------------|-------------|----------|
| 10/31/2021 | 2,355.10    | 02373588 |
| 10/30/2021 | 2,401.90    | 02350037 |
| 10/29/2021 | 2,380.80    | 02326018 |
| 10/28/2021 | 1,412.50    | 02302210 |
| 10/27/2021 | 0.3         | 02288085 |
| 10/26/2021 | 1           | 02288082 |
| 10/25/2021 | 0.7         | 02288072 |
| 10/24/2021 | 0.9         | 02288065 |
| 10/23/2021 | 0.4         | 02288056 |
| 10/22/2021 | 0.1         | 02288052 |
| 10/21/2021 | 1           | 02288051 |
| 10/20/2021 | 0.3         | 02288041 |
| 10/19/2021 | 0.5         | 02288038 |
| 10/18/2021 | 1.1         | 02288033 |
| 10/17/2021 | 0.8         | 02288022 |
| 10/16/2021 | 0.5         | 02288014 |
| 10/15/2021 | 1.2         | 02288009 |
| 10/14/2021 | 1.3         | 02287997 |
| 10/13/2021 | 1.5         | 02287984 |
| 10/12/2021 | 1.8         | 02287969 |
| 10/11/2021 | 2.2         | 02287951 |
| 10/10/2021 | 4.8         | 02287929 |
| 10/9/2021  | 1.5         | 02287881 |
| 10/8/2021  | 4.5         | 02287866 |
| 10/7/2021  | 1,486.30    | 02287821 |
| 10/6/2021  | 2,530.80    | 02272958 |
| 10/5/2021  | 2,536.80    | 02247650 |
| 10/4/2021  | 2,539.70    | 02222282 |
| 10/3/2021  | 2,539.00    | 02196885 |
| 10/2/2021  | 2,548.20    | 02171495 |
| 10/1/2021  | 2,581.90    | 02146013 |

|                 |             |
|-----------------|-------------|
| Toatl Gallons   | 25,339.40   |
| Days            | 31.00       |
| GPD During Leak | 817.4       |
| Normal GPD      | 90.20666667 |
| Leak GPD        | 727.1933333 |
| Days            | 31          |
| Toatl Leak      | 22542.99333 |



## Request for 1- Time Leak Adjustment

Owner Name: DALAL HEMAL  
Account Number: 20520-0  
Address: 18 PLAINS GAP ROAD

Resident received a leak alert from WaterSmart and called to ask about it. I went out and was able to isolate the issue. There was a faulty gasket in the toilet tank. The resident repaired the issue and is requesting a 1-time leak adjustment.

Credit Amount Requested: \$111.16

## Dan Engel

---

**From:** Hemal Dalal <dalalhemal@gmail.com>  
**Sent:** Thursday, January 06, 2022 3:54 PM  
**To:** Dan Engel  
**Subject:** Water Leakage Issue solved

Hi Dan,

Happy New Year 🎉 and thank you once again for coming out to our house on 18 Plains Gap Road North Brunswick New Jersey 08902 to diagnose the water leakage issue.

As requested, attached please find the receipt of the gasket which was purchased to fix the toilet leakage issue, please use this receipt for reimbursement on water usage on our latest bill.

Thank you,  
Best Regards,  
Hemal Dalal

# MONTHLY CONSUMPTION ANALYSIS

February 1, 2021 - February 5, 2022

DALAL HEMAL

Account Number: 20520 0

Address: 18 PLAINS GAP ROAD

MIU ID: 1564609326

Meter ID: 39496573

Unit of Measure: Gallons



DAILY CONSUMPTION ANALYSIS  
January 1, 2022 - January 31, 2022

DALAL HEMAL

Account Number: 20520 0  
Address: 18 PLAINS GAP ROAD  
MIU ID: 1564609326  
Meter ID: 39496573  
Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 1/31/2022 | 115.1       | 01203682 |
| 1/30/2022 | 123.2       | 01202531 |
| 1/29/2022 | 181.6       | 01201299 |
| 1/28/2022 | 131.9       | 01199483 |
| 1/27/2022 | 104.5       | 01198164 |
| 1/26/2022 | 111.5       | 01197119 |
| 1/25/2022 | 90.5        | 01196004 |
| 1/24/2022 | 92.3        | 01195099 |
| 1/23/2022 | 172         | 01194176 |
| 1/22/2022 | 87.5        | 01192456 |
| 1/21/2022 | 98          | 01191581 |
| 1/20/2022 | 82.1        | 01190601 |
| 1/19/2022 | 87.2        | 01189780 |
| 1/18/2022 | 116.5       | 01188908 |
| 1/17/2022 | 87.2        | 01187743 |
| 1/16/2022 | 36.5        | 01186871 |
| 1/15/2022 | 91.6        | 01186506 |
| 1/14/2022 | 107.2       | 01185590 |
| 1/13/2022 | 104         | 01184518 |
| 1/12/2022 | 125         | 01183478 |
| 1/11/2022 | 164.4       | 01182228 |
| 1/10/2022 | 77.8        | 01180584 |
| 1/9/2022  | 85.1        | 01179806 |
| 1/8/2022  | 105.3       | 01178955 |
| 1/7/2022  | 76.6        | 01177902 |
| 1/6/2022  | 153.9       | 01177136 |
| 1/5/2022  | 86.8        | 01175597 |
| 1/4/2022  | 142.4       | 01174729 |
| 1/3/2022  | 60.7        | 01173305 |
| 1/2/2022  | 55.4        | 01172698 |
| 1/1/2022  | 32          | 01172144 |

|                            |                |                      |
|----------------------------|----------------|----------------------|
| Normal GPD                 | 102.77         |                      |
|                            | <b>Gallons</b> | <b>Credit Amount</b> |
| PD8 Leak Amount            | 10974.00       | \$ 111.16            |
| <b>Total Credit Amount</b> |                | <b>\$ 111.16</b>     |

*As Billed Gallons Monthly Rate*

| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed  |
|----------------------------|--------------------------------|-------------------------------|---------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |               |
| 10,974 Consumption         | - Consumption                  | - Consumption                 | 10,974        |
| 10,974 Usage               | - Usage                        | - Usage                       |               |
| 0.003915 Tier 1            | 0.007046 Tier 2                | 0.007829 Tier 3               |               |
| 42.96 Water                | - Water                        | - Water                       | 42.96 Water   |
| 10,974 Usage               | - Usage                        | - Usage                       |               |
| 0.006214 Rate              | 0.007723 Tier 2                | 0.008877 Tier 3               |               |
| 68.19 Sewer                | - Sewer                        | - Sewer                       | 68.19 Sewer   |
| Service Fee                |                                |                               | - Service Fee |
| 111.16 Tier 1              | - Tier 2                       | - Tier 3                      | 111.16 Total  |

DAILY CONSUMPTION ANALYSIS  
December 1, 2021 - December 31, 2021

DALAL HEMAL  
Account Number: 20520 0  
Address: 18 PLAINS GAP ROAD  
MIU ID: 1564609326  
Meter ID: 39496573  
Unit of Measure: Gallons

| datetime   | consumption | reading  |
|------------|-------------|----------|
| 12/31/2021 | 63.3        | 01171824 |
| 12/30/2021 | 60.4        | 01171191 |
| 12/29/2021 | 37.3        | 01170587 |
| 12/28/2021 | 69.9        | 01170214 |
| 12/27/2021 | 109.6       | 01169515 |
| 12/26/2021 | 25.9        | 01168419 |
| 12/25/2021 | 28          | 01168160 |
| 12/24/2021 | 28.1        | 01167880 |
| 12/23/2021 | 88.2        | 01167599 |
| 12/22/2021 | 100.6       | 01166717 |
| 12/21/2021 | 1,179.70    | 01165711 |
| 12/20/2021 | 2,538.90    | 01153914 |
| 12/19/2021 | 2,613.60    | 01128525 |
| 12/18/2021 | 2,638.50    | 01102389 |
| 12/17/2021 | 2,608.80    | 01076004 |
| 12/16/2021 | 378.5       | 01049916 |
| 12/15/2021 | 180.7       | 01046131 |
| 12/14/2021 | 50          | 01044324 |
| 12/13/2021 | 88.2        | 01043824 |
| 12/12/2021 | 71.3        | 01042942 |
| 12/11/2021 | 102         | 01042229 |
| 12/10/2021 | 87.2        | 01041209 |
| 12/9/2021  | 131.5       | 01040337 |
| 12/8/2021  | 75.7        | 01039022 |
| 12/7/2021  | 54          | 01038265 |
| 12/6/2021  | 119         | 01037492 |
| 12/5/2021  | 67.6        | 01036296 |
| 12/4/2021  | 91.7        | 01035620 |
| 12/3/2021  | 157.3       | 01034703 |
| 12/2/2021  | 151.5       | 01033130 |
| 12/1/2021  | 162.8       | 01031615 |

|                 |             |
|-----------------|-------------|
| Total Gallons   | 14159.8     |
| Days            | 31          |
| GPD During Leak | 456.7677419 |
| Normal GPD      | 102.7677419 |
| Leak GPD        | 354         |
| Days            | 31          |
| Toatl Leak      | 10974       |



**How does  
get more done.**

1035 RT.1 EDISON,NJ 08837 732-906-0501  
STORE MANAGER: JEFF PEMBERTON

0944 00061 33425 12/21/21 04:11 PM  
SALE SELF CHECKOUT

049057103609 SEAL KIT <A> 6.48  
3" UNIVERSAL FLUSH VALVE SEAL KIT

SUBTOTAL 6.48  
SALES TAX 0.43  
TOTAL \$6.91

XXXXXXXXXXXX5954 MASTERCARD

USD\$ 6.91

AUTH CODE 06531Z/7614308 TA

Chip Read

AID A0000000041010 CAPITAL ONE

0944 12/21/21 04:11 PM



0944 61 33425 12/21/2021 8431

RETURN POLICY DEFINITIONS

| POLICY ID | DAYS | POLICY EXPIRES ON |
|-----------|------|-------------------|
| A 1       | 90   | 03/21/2022        |

\*\*\*\*\*

**DID WE NAIL IT?**

Take a short survey for a chance TO WIN  
A \$5,000 HOME DEPOT GIFT CARD

Opine en español

## Request for 1- Time Leak Adjustment

Owner Name: TONEY, VERONICA  
Account Number: 6009-0  
Address: 1592 TAYLOR DRIVE

Resident received a leak alert from WaterSmart and fixed the toilet issue that was causing it. They are requesting a 1-time leak adjustment.

Credit Amount Requested: \$26.80



**Dan Engel**

---

**From:** Vashdev Arthur <varthur@email.com>  
**Sent:** Tuesday, January 18, 2022 3:09 PM  
**To:** TWPNBwater; khalilasarthur@aol.com  
**Subject:** Leak Adjustment Request: 1592 Taylor Drive

Hello-

I am writing to request a one time leak adjustment to my upcoming water bill (Account No. 6009-0).

It came to my attention that there was a water leak at 1592 Taylor Drive which began around 8:00am January 17, 2022 and lasted through around 10:00am January 18,2022.

I found the leak and repaired it.

Please let me know if you need any further information and I look forward to hearing back from you.

Regards,  
**Vashdev K. Arthur**

MONTHLY CONSUMPTION ANALYSIS

February 1, 2021 - February 5, 2022

TONY, VERONICA


Account Number: 6009 0

Address: 1592 TAYLOR DRIVE

MIU ID: 1564615588

Meter ID: 39116906

Unit of Measure: Gallons



# DAILY CONSUMPTION ANALYSIS

December 1, 2021 - December 31, 2021

TONEY, VERONICA

Account Number: 6009 0  
 Address: 1592 TAYLOR DRIVE  
 MIU ID: 1564615588  
 Meter ID: 39116906  
 Unit of Measure: Gallons

| datetime   | consumption | reading  |
|------------|-------------|----------|
| 12/31/2021 | 152         | 00589977 |
| 12/30/2021 | 27.5        | 00588457 |
| 12/29/2021 | 8.5         | 00588182 |
| 12/28/2021 | 79.2        | 00588097 |
| 12/27/2021 | 31.5        | 00587305 |
| 12/26/2021 | 20.2        | 00586990 |
| 12/25/2021 | 166.2       | 00586788 |
| 12/24/2021 | 135.3       | 00585126 |
| 12/23/2021 | 124.8       | 00583773 |
| 12/22/2021 | 120.5       | 00582525 |
| 12/21/2021 | 209         | 00581320 |
| 12/20/2021 | 218         | 00579230 |
| 12/19/2021 | 215.1       | 00577050 |
| 12/18/2021 | 88.8        | 00574899 |
| 12/17/2021 | 327.3       | 00574011 |
| 12/16/2021 | 156.9       | 00570738 |
| 12/15/2021 | 101.5       | 00569169 |
| 12/14/2021 | 144.5       | 00568154 |
| 12/13/2021 | 139.1       | 00566709 |
| 12/12/2021 | 140.8       | 00565318 |
| 12/11/2021 | 24.5        | 00563910 |
| 12/10/2021 | 88.5        | 00563665 |
| 12/9/2021  | 200.1       | 00562780 |
| 12/8/2021  | 243         | 00560779 |
| 12/7/2021  | 200.2       | 00558349 |
| 12/6/2021  | 172         | 00556347 |
| 12/5/2021  | 112.1       | 00554627 |
| 12/4/2021  | 186.9       | 00553506 |
| 12/3/2021  | 275.1       | 00551637 |
| 12/2/2021  | 104.7       | 00548886 |
| 12/1/2021  | 341         | 00547839 |

Normal GPD 146.9290323

|                     | Gallons |    | Credit Amount |
|---------------------|---------|----|---------------|
| PD1 Leak Amount     | 2610.10 | \$ | 26.80         |
| Total Credit Amount |         | \$ | 26.80         |

PD1 2022 Credit Amount

| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed  |
|----------------------------|--------------------------------|-------------------------------|---------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |               |
| 2,610 Consumption          | - Consumption                  | - Consumption                 | 2,610         |
| 2,610 Usage                | - Usage                        | - Usage                       |               |
| 0.004052 Tier 1            | 0.007293 Tier 2                | 0.008103 Tier 3               |               |
| 10.58 Water                | - Water                        | - Water                       | 10.58 Water   |
| 2,610 Usage                | - Usage                        | - Usage                       |               |
| 0.006214 Rate              | 0.007723 Tier 2                | 0.008877 Tier 3               |               |
| 16.22 Sewer                | - Sewer                        | - Sewer                       | 16.22 Sewer   |
| Service Fee                |                                |                               | - Service Fee |
| 26.80 Tier 1               | - Tier 2                       | - Tier 3                      | 26.80 Total   |

DAILY CONSUMPTION ANALYSIS  
January 1, 2022 - January 31, 2022

TONEY, VERONICA

Account Number: 6009 0  
Address: 1592 TAYLOR DRIVE  
MIU ID: 1564615588  
Meter ID: 39116906  
Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 1/31/2022 | 161.8       | 00661626 |
| 1/30/2022 | 113.9       | 00660008 |
| 1/29/2022 | 103.2       | 00658869 |
| 1/28/2022 | 111.9       | 00657837 |
| 1/27/2022 | 63.1        | 00656718 |
| 1/26/2022 | 152.6       | 00656087 |
| 1/25/2022 | 112.6       | 00654561 |
| 1/24/2022 | 223.8       | 00653435 |
| 1/23/2022 | 157.9       | 00651197 |
| 1/22/2022 | 129.7       | 00649618 |
| 1/21/2022 | 120.4       | 00648321 |
| 1/20/2022 | 216.2       | 00647117 |
| 1/19/2022 | 115.9       | 00644955 |
| 1/18/2022 | 1,306.40    | 00643796 |
| 1/17/2022 | 1,720.30    | 00630732 |
| 1/16/2022 | 187.1       | 00613529 |
| 1/15/2022 | 137.2       | 00611658 |
| 1/14/2022 | 128.2       | 00610286 |
| 1/13/2022 | 151.2       | 00609004 |
| 1/12/2022 | 98.7        | 00607492 |
| 1/11/2022 | 180         | 00606505 |
| 1/10/2022 | 218.1       | 00604705 |
| 1/9/2022  | 181.1       | 00602524 |
| 1/8/2022  | 145.9       | 00600713 |
| 1/7/2022  | 104         | 00599254 |
| 1/6/2022  | 63          | 00598214 |
| 1/5/2022  | 200.4       | 00597584 |
| 1/4/2022  | 153.3       | 00595580 |
| 1/3/2022  | 230.1       | 00594047 |
| 1/2/2022  | 104.6       | 00591746 |
| 1/1/2022  | 72.3        | 00590700 |

|                 |             |
|-----------------|-------------|
| Total Gallons   | 7164.9      |
| Days            | 31          |
| GPD During Leak | 231.1258065 |
| Normal GPD      | 146.9290323 |
| Leak GPD        | 84.19677419 |
| Days            | 31          |
| Toatl Leak      | 2610.1      |

## Request for 1- Time Leak Adjustment

Owner Name: KIRALY MARGARET ANN  
Account Number: 6436-0  
Address: 1019 KEARNEY DRIVE

Resident had left a fixture running after receiving advice to do so to prevent pipes from freezing. She misunderstood the information and left the faucet running too much. I visited the resident and explained in better detail what to do to prevent pipes from freezing. Requested a 1-time adjustment for the mistake.

Credit Amount Requested: \$177.01

MONTHLY CONSUMPTION ANALYSIS

February 1, 2021 - February 10, 2022

KIRALY, MARGARET


Account Number: 6436 0

Address: 1019 KEARNEY DRIVE

MIU ID: 1564610192

Meter ID: 39496571

Unit of Measure: Gallons



DAILY CONSUMPTION ANALYSIS  
November 1, 2021 - November 30, 2021

KIRALY, MARGARET

Account Number: 6436 0  
Address: 1019 KEARNEY DRIVE  
MIU ID: 1564610192  
Meter ID: 39496571  
Unit of Measure: Gallons

| datetime   | consumption | reading  |
|------------|-------------|----------|
| 11/30/2021 | 128.6       | 00861925 |
| 11/29/2021 | 59.4        | 00860639 |
| 11/28/2021 | 23.6        | 00860045 |
| 11/27/2021 | 122.3       | 00859809 |
| 11/26/2021 | 24.7        | 00858586 |
| 11/25/2021 | 54.4        | 00858339 |
| 11/24/2021 | 102.6       | 00857795 |
| 11/23/2021 | 53.3        | 00856769 |
| 11/22/2021 | 39.1        | 00856236 |
| 11/21/2021 | 38.3        | 00855845 |
| 11/20/2021 | 102.3       | 00855462 |
| 11/19/2021 | 27.2        | 00854439 |
| 11/18/2021 | 45.8        | 00854167 |
| 11/17/2021 | 34.1        | 00853709 |
| 11/16/2021 | 59.9        | 00853368 |
| 11/15/2021 | 58.8        | 00852769 |
| 11/14/2021 | 262.3       | 00852181 |
| 11/13/2021 | 50          | 00849558 |
| 11/12/2021 | 53.3        | 00849058 |
| 11/11/2021 | 137.6       | 00848525 |
| 11/10/2021 | 36.3        | 00847149 |
| 11/9/2021  | 49.7        | 00846786 |
| 11/8/2021  | 78.3        | 00846289 |
| 11/7/2021  | 53.3        | 00845506 |
| 11/6/2021  | 58.9        | 00844973 |
| 11/5/2021  | 134.6       | 00844384 |
| 11/4/2021  | 76.1        | 00843038 |
| 11/3/2021  | 80.5        | 00842277 |
| 11/2/2021  | 68.2        | 00841472 |
| 11/1/2021  | 78.2        | 00840790 |

Normal GPD 73.06

|                     | Gallons  |    | Credit Amount |
|---------------------|----------|----|---------------|
| PD1 Leak Adjustment | 17242.54 | \$ | 177.01        |
| Total Credit Amount |          | \$ | 177.01        |



| Billed at Tier 1 (0-3,000) | Billed at Tier 2 (3,000-9,000) | Billed at Tier 3 (over 9,000) | Total Billed        |
|----------------------------|--------------------------------|-------------------------------|---------------------|
| <b>TIER 1</b>              | <b>TIER 2</b>                  | <b>TIER 3</b>                 |                     |
| 17,243 Consumption         | - Consumption                  | - Consumption                 | 17,243              |
| 17,243 Usage               | - Usage                        | - Usage                       |                     |
| <u>0.004052</u> Tier 1     | <u>0.007293</u> Tier 2         | <u>0.008103</u> Tier 3        |                     |
| <b>69.87 Water</b>         | - <b>Water</b>                 | - <b>Water</b>                | <b>69.87 Water</b>  |
| 17,243 Usage               | - Usage                        | - Usage                       |                     |
| <u>0.006214</u> Rate       | <u>0.007723</u> Tier 2         | <u>0.008877</u> Tier 3        |                     |
| <b>107.15 Sewer</b>        | - <b>Sewer</b>                 | - <b>Sewer</b>                | <b>107.15 Sewer</b> |
| Service Fee                |                                |                               | - Service Fee       |
| <b>177.01 Tier 1</b>       | - <b>Tier 2</b>                | - <b>Tier 3</b>               | <b>177.01 Total</b> |

DAILY CONSUMPTION ANALYSIS  
January 1, 2022 - January 31, 2022

KIRALY, MARGARET

Account Number: 6436 0  
Address: 1019 KEARNEY DRIVE  
MIU ID: 1564610192  
Meter ID: 39496571  
Unit of Measure: Gallons

| datetime  | consumption | reading  |
|-----------|-------------|----------|
| 1/31/2022 | 770.5       | 01105726 |
| 1/30/2022 | 998.3       | 01098021 |
| 1/29/2022 | 775.7       | 01088038 |
| 1/28/2022 | 844.2       | 01080281 |
| 1/27/2022 | 1,101.00    | 01071839 |
| 1/26/2022 | 928         | 01060829 |
| 1/25/2022 | 644.3       | 01051549 |
| 1/24/2022 | 500.5       | 01045106 |
| 1/23/2022 | 676.4       | 01040101 |
| 1/22/2022 | 759.5       | 01033337 |
| 1/21/2022 | 817.2       | 01025742 |
| 1/20/2022 | 666.2       | 01017570 |
| 1/19/2022 | 651.3       | 01010908 |
| 1/18/2022 | 789         | 01004395 |
| 1/17/2022 | 686.5       | 00996505 |
| 1/16/2022 | 724.7       | 00989640 |
| 1/15/2022 | 702.1       | 00982393 |
| 1/14/2022 | 567         | 00975372 |
| 1/13/2022 | 504.7       | 00969702 |
| 1/12/2022 | 803.6       | 00964655 |
| 1/11/2022 | 907.6       | 00956619 |
| 1/10/2022 | 579.2       | 00947543 |
| 1/9/2022  | 538         | 00941751 |
| 1/8/2022  | 543.2       | 00936371 |
| 1/7/2022  | 410.5       | 00930939 |
| 1/6/2022  | 399.7       | 00926834 |
| 1/5/2022  | 401.5       | 00922837 |
| 1/4/2022  | 438.2       | 00918822 |
| 1/3/2022  | 285.5       | 00914440 |
| 1/2/2022  | 71.8        | 00911585 |
| 1/1/2022  | 21.4        | 00910867 |

|                 |             |
|-----------------|-------------|
| Total Gallons   | 19507.3     |
| Days            | 31          |
| GPD During Leak | 629.2677419 |
| Normal GPD      | 73.05666667 |
| Leak GPD        | 556.2110753 |
| Days            | 31          |
| Total Leak      | 17242.54333 |